



## **KODAK PROFESSIONAL** Inkjet Artist Canvas, Matte / 378g

# High-quality canvas, fine-art results

### **Water-resistant matte finish**

KODAK PROFESSIONAL Inkjet Artist Canvas, Matte is a medium textured, 2-over-1 weave, poly/cotton blend canvas that features a water-resistant matte finish.

### **The latest printer and ink technology**

This high-quality canvas is perfect for fine art and photographic reproductions utilizing the latest dye and pigmented inks.

### **APPLICATIONS:**

- Gallery wraps
- Mounted canvas prints
- Fine art reproduction

### **FEATURES:**

- Poly/cotton blend canvas
- Medium textured, 2-over-1 weave
- Compatible with dye and pigment inks

| US Size   | Euro Size          | Quantity | SKU       |
|-----------|--------------------|----------|-----------|
| 17" x 40' | 43,2 cm x 12,19 m  | 1 Roll   | KPROTMC17 |
| 24" x 40' | 61,0 cm x 12,19 m  | 1 Roll   | KPROTMC24 |
| 36" x 40' | 91,4 cm x 12,19 m  | 1 Roll   | KPROTMC36 |
| 44" x 40' | 111,8 cm x 12,19 m | 1 Roll   | KPROTMC44 |
| 60" x 40' | 154,2 cm x 12,19 m | 1 Roll   | KPROTMC60 |



# KODAK PROFESSIONAL

Inkjet Artist Canvas, Matte / 378g

| Properties                         | Specifications   |
|------------------------------------|--|
| <b>Material</b>                    | 65% polyester, 35% cotton base   |
| <b>Fabric Weave</b>                | 2 x 1 weave  |
| <b>Gauge</b>                       | 18 mil   |
| <b>Base Weight</b>                 | 378g   |
| <b>Whiteness</b>                   | >100 CEI   |
| <b>Printer/Ink Compatibility</b>   | Compatible with all thermal and piezo inkjet printers using water-based dye and pigment-based inks.  |
| <b>Software Setting</b>            | The coating is engineered for more than 300% ink coverage. A Heavy Weight Coated or Enhanced Matte setting is recommended as a starting point. However, a custom ICC profile is ideal for optimal results.   |
| <b>Light Fastness</b>              | Inkjet ink fading time is based on the inks you use and the print display environment. Dye-based inks fade noticeably under direct sunlight and interior applications where direct sunlight may fall on the image, and/or where fluorescent or other UV lighting is present. Though fading is inherent in all inkjet inks, certain UV-resistant inks, pigment-based inks, and UV-inhibiting coatings will extend image longevity. For light-fastness data and to determine an ink's suitability for the application, contact the ink manufacturer. |
| <b>Optimal Service Environment</b> | 66-77° F , 20-60% R.H.   |
| <b>Finishing/Post Processing</b>   | No post processing or finishing is required, though a clear fixative may be applied to enhance certain areas of the print.   |
| <b>Handling Recommendations</b>    | Avoid touching the coated surface and use cotton gloves when handling inkjet coated materials. Rolls of Kodak inkjet media come with the coated side facing out.   |
| <b>Ideal Storage Conditions</b>    | 70° F (21° C), 50% R.H. (a controlled environment is recommended); store in original packaging   |
| <b>Shelf Life</b>                  | 1 year from the BMG ship date when stored in proper conditions.  |



AMS: 888-893-4668  
EMEA: +34 935 479 700  
APJ: +61 2 8038 5013

**KodakWFMedia.com**

The Kodak trademark, logo, and trade dress are used under license from Kodak.

© 2017, Brand Management Group

