

Artex® Canvas is a light weight, extremely strong and flexible canvas substrate. Artex Canvas is a high-end, indoor sign and banner material. The material is easy and beautiful to print on using solvent, eco-solvent, UV, Latex or screen printing. Artex Canvas may be finished/welded with ease. The product may be printed on the reverse side for a duller finish. Available in widths from 54" - 196".

Material Details

CHARACTERISTICS	TEST METHOD	METRIC	ENGLISH
Support Cloth	DIN 60001	Polyester	Polyester
Yarn dtex	DIN EN ISO 2060	340 x 340 dtex	300 x 300 denier
Type of Coating	N/A	PVC	PVC
Total Weight	DIN EN ISO 2286-2	320 g/m ²	9.4 oz/yd ²
Tensile Strength	DIN EN ISO 1421	1500/900 N/5 cm	171/102 lbs/inch
Tear Strength (warp/weft)	DIN 53363	150/80 N	34 /18 lbs
Fungus Resistance	ASTM G21	Treated	
RF Weldable (Heat Sealable)	DIN 53354	Yes	Yes

Applications

	Back-lit	Banner	Billboard	Block-out	Building Wrap	Display Systems	Transit Shelter	Truckside
Applications		■				■		

Ink Printability

Solvent	Eco Solvent	UV	Latex	Screen Printing	Dye Transfer	Dye Direct
■	■	■	■	■		

Available Sizes

Metric (m)	English (inches)
1.37, 1.60, 3.20, 5.00	54, 63, 126, 196

The information on physical and chemical characteristics is based upon tests believed to be reliable. The values are intended only as a source of information. A legally binding guarantee of specific properties is not to be inferred from our specifications. They are given without guarantee and do not constitute a warranty. The purchaser should independently determine, prior to use, the suitability of the material for his/her specific purpose. (Data represents averages and is not intended for use as a specification.)