


HP Durable Semi-gloss Display Film



The HP large format printing system—the complete solution

HP large format printers, Original HP inks and printheads, and Original HP printing materials are designed to work together as a system to provide uncompromising image quality, reliability, and consistency—with every print.



Produce vibrant POP displays that endure

Durable displays withstand time

Print quality displays that last. A strong, flexible metallic back enables roll-up displays that endure the wear and tear associated with repeated rolling and unrolling. And prints provide up to 1 year in-window, unlaminated display permanence.¹

Produce vivid color

Create vivid POP retail displays that get noticed. Designed together with Original HP pigment-based inks, this film provides a broad color gamut ideal for a wide range of applications from pop-up displays to roll-up presentation systems.

Enjoy quick, easy production

Save time and money. Because you can eliminate the complicated process of applying back laminate to printouts, displays are quick and easy to produce. Plus you can reduce waste and production costs.

Target customers	Applications	Benefits		
Print service providers	Trade show and event displays	Endures repeated rolling and unrolling		
Trade show organizers	Posters and presentations	Delivers up to 1 year in-window, unlaminated display permanence ¹		
Retail groups POP and retail displays	Produces vivid color with a broad color gamut			
	Banners	Requires no backside lamination		

Technical specifications



HP Durable Semi-gloss Display Film

For the latest ICC profiles/paper presets, please visit HPLFMedia.com/hp/paperpresets.

Original HP pigment- and dye-based inks for HP DesignJet printers				
265 g/m² per ISO 536 Test Method				
198 microns/7.8 mil per ISO 534 Test Method				
>99% per DIN 53146 Test Method				
119 per ISO 2470-1 Test Method				
Semi-gloss				
15 to 30° C / 59 to 86° F				
20 to 60% RH				
Up to 1 year with Original HP 91 Photo Inks or HP 83 UV inks¹				
Moderately water resistant with Original HP 91 Photo Inks or HP 83 UV inks²				
2 minutes (at 23° C, 50% RH)				
Yes, hot or cold				
2 years, unopened in original packaging				
10 to 30° C / 50 to 86° F				
20 to 60% RH				
Product of Germany				
Product numbers	Roll sizes	UPC Codes	Region	
Q6620B	914 mm x 15,2 m (36 in x 50 ft)	848412012903	North America, Europe	
HP large format printing materials are free from defects in materials and workmanship. For warranty statement, please see <u>HPLFMedia.com/hp/MediaWarranties</u> . To obtain warranty service, please contact Brand Management Group customer support at <u>HPLFMedia.com/hp/en/contactus</u> .				
	265 g/m² per ISO 53 198 microns/7.8 mil >99% per DIN 5314 119 per ISO 2470-1 T Semi-gloss 15 to 30° C / 59 to 8 20 to 60% RH Up to 1 year with Or Moderately water r 2 minutes (at 23° C, Yes, hot or cold 2 years, unopened 10 to 30° C / 50 to 8 20 to 60% RH Product of German Product numbers Q6620B HP large format pri statement, please s	265 g/m² per ISO 536 Test Method 198 microns/7.8 mil per ISO 534 Test Method >99% per DIN 53146 Test Method 119 per ISO 2470-1 Test Method Semi-gloss 15 to 30° C / 59 to 86° F 20 to 60% RH Up to 1 year with Original HP 91 Photo Inks or HP 83 U Moderately water resistant with Original HP 91 Photo 2 minutes (at 23° C, 50% RH) Yes, hot or cold 2 years, unopened in original packaging 10 to 30° C / 50 to 86° F 20 to 60% RH Product of Germany Product numbers Roll sizes Q6620B 914 mm x 15,2 m (36 in x 50 ft) HP large format printing materials are free from defestatement, please see HPL FMedia.com/hp/MediaWo	265 g/m² per ISO 536 Test Method 198 microns/7.8 mil per ISO 534 Test Method >99% per DIN 53146 Test Method 119 per ISO 2470-1 Test Method Semi-gloss 15 to 30° C / 59 to 86° F 20 to 60% RH Up to 1 year with Original HP 91 Photo Inks or HP 83 UV inks¹ Moderately water resistant with Original HP 91 Photo Inks or HP 83 UV inks 2 minutes (at 23° C, 50% RH) Yes, hot or cold 2 years, unopened in original packaging 10 to 30° C / 50 to 86° F 20 to 60% RH Product of Germany Product numbers Roll sizes UPC Codes Q6620B 914 mm x 15,2 m (36 in x 50 ft) 848412012903 HP large format printing materials are free from defects in materials and v statement, please see HPL FMedia.com/hp/MediaWarranties. To obtain wo	

With Original HP 91 Photo Inks or HP 83 UV inks. Interior in-window display ratings by HP Image Permanence Lab on a range of HP media. HP predictions based on test data under Xenon-Arc illuminant—calculation assumes 6,000 Lux/12 hr day. For more information, see HPLFMedia.com/hp/t/printpermanence.

$For detailed information on the HP large format printing materials portfolio and to order, see {\tt HPLFMedia.com} \\$

© 2023 HP Development Company, L.P. © 2023 Brand Management Group. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP and BMG shall not be liable for technical or editorial errors or omissions contained herein.



Performance varies based on printer and print profile. Water resistance testing by HP Image Permanence Lab on a range of HP media and follows ISO 18935 method. For more information, see HPLFMedia.com/hp/t/printpermanence.