

HP Everyday Instant-dry Satin Photo Paper



The HP large format printing system—the complete solution

HP large format printers, Original HP inks and printheads, and Original HP printing materials are designed to work together as a system to provide uncompromising image quality, reliability, and consistency—with every print.



Gain versatility, productivity—and recycle¹

Produce vibrant, long-lasting images

See great results with every print. Designed for maximum ink absorption, this photo paper includes a microporous surface that enables higher ink density, speeds dry time, and achieves vibrant, long-lasting color.

Boost productivity, enable enhanced profitability

Enjoy the productivity advantages of a photo paper designed to provide excellent everyday image quality while keeping your workflow running smoothly. With a fast dry time, prints are easy to handle—and you can move quickly to lamination.

Gain photo versatility and recyclability

Gain versatility with this everyday photo paper—from presentations to displays to photo enlargements—and achieve consistent, high-impact photo image quality. And meet your environmental objectives with this recyclable, FSC*-certified paper.²

Target customers	Applications	Benefits
Print service providers	Photo enlargements	Long-lasting, vibrant photo image quality
Graphic designers	Posters and presentations	Fast dry time for easy handling
Professional photographers	Trade show and event displays	Optimized for HP pigment inks
Digital fine art reproduction houses	POP and retail displays	Up to 200 years indoor display permanence,3 up to 1 year in-window4
		FSC®-certified paper 2
		Recyclable through Region-specific practices ¹

Technical specifications



HP Everyday Instant-dry Satin Photo Paper

For the latest ICC profiles/paper presets, please visit HPLFMedia.com/hp/paperpresets.

International in	Oninin all ID a	inner at and due to a district for LDD action	Tak a siska sa				
Ink compatibility		Original HP pigment- and dye-based inks for HP DesignJet printers					
Weight	O, 1	235 g/m² per ISO 536 Test Method					
Thickness	231 microns/9.1 mil per ISO 534 Test Method						
Opacity		96% per TAPPI T-425 and ISO 2471 Test Methods					
Brightness	<u> </u>	90 per TAPPI T-452 and ISO 2470 Test Methods					
Whiteness	90 per ISO 114	90 per ISO 11476 Test Method					
Finish	Satin						
Operating temperature	15 to 30° C / 5	15 to 30° C / 59 to 86° F					
Operating humidity	30 to 80% RH						
Display permanence (Indoor home or office)	Up to 200 years with Original HP 772, HP 91, or HP 70 Photo Inks, or HP 771 Vivid Photo Inks; up to 100 years with HP 83 UV inks $^{\rm 3}$						
Display permanence (Commercial in-window, unlaminated)	Up to 1 year w	Up to 1 year with Original HP 771 Vivid Photo Inks, HP 91 or HP 70 Photo Inks, or HP 83 UV inks ⁴					
Water resistance		Water resistant with HP 771 Vivid Photo Inks; moderately water resistant with HP 772, HP 91, or HP 70 Photo Inks, or HP 83 UV inks ⁵					
Dry time	5 minutes (at	5 minutes (at 23° C, 50% RH)					
Lamination	Yes, hot or cold						
Shelf life	2 years, unop	2 years, unopened in original packaging					
Storage temperature	18 to 30° C / 64 to 86° F						
Storage humidity	35 to 55% RH						
Environmental	Recyclable through Region-specific practices1; FSC®-certified paper2						
Country of origin	Product of Ge	Product of Germany					
Core size	2-in core	2-in core					
Ordering information	Product num	Product numbers Roll sizes		Region			
	Q8920A	610 mm x 30,5 m (24 in x 100 ft)	848412013009	Worldwide			
	Q8921A	914 mm x 30,5 m (36 in x 100 ft)	848412013016	Worldwide			
	Q8922A	1067 mm x 30,5 m (42 in x 100 ft)	848412013023	Worldwide			
	Q8923A	1524 mm x 30,5 m (60 in x 100 ft)	848412013030	Worldwide			
	CG842A	1524 mm x 61 m	848412014198	Europe			
				<u> </u>			
Warranty	nd workmanship. For warranty n warranty service, please com/hp/en/contactus.						

- Papers can be recycled according to region-specific practices. In North America and Asia (including Japan), recyclable in consumer collection systems that can accept mixed paper (may not be recyclable in your area); in Europe recyclable in consumer collection systems that accept liquid packaging.
- ² HP has a policy for offering Forest Stewardship Council® (FSC®)-certified papers that are sourced from FSC®-certified forests and other controlled sources. BMG trademark license code FSC®-C115319, see fsc.org. HP trademark license code FSC®-C017543, see fsc.org. Not all FSC®-certified products are available in all regions. For information about HP large format printing materials, please visit HPLFMedia.com.
- 3 With Original HP 772, HP 91, or HP 70 Photo Inks, or HP 771 Vivid Photo Inks. Display permanence rating for interior displays/away from direct sunlight, under glass by HP Image Permanence Lab and/or by Wilhelm Imaging Research, Inc. on a range of HP media. For more information, see HPLFMedia.com/printpermanence.
- 4 With Original HP 771 Vivid Photo Inks, HP 91 or HP 70 Photo Inks, or HP 83 UV inks. Interior in-window display ratings by HP Image Permanence Lab on a range of HP media. HP predictions based on test data under Xenon-Arc illuminant calculation assumes 6,000 Lux/12 hr day. For more information, see HPLFMedia.com/printpermanence.
- ⁵ Performance varies based on printer and print profile. Water resistance testing by HP Image Permanence Lab on a range of HP media and follows ISO 18935 method. For more information, see HPLFMedia.com/printpermanence.







For detailed information on the HP large format printing materials portfolio and to order, see HPLFMedia.com

© 2024 HP Development Company, L.P. © 2024 Brand Management Group. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP and BMG shall not be liable for technical or editorial errors or omissions contained herein.



