HP Latex FS50 Printer



Deliver stunning results with a superwide printer that scales as your business grows



STUNNING-Quality that drives high margins

- You can grow into higher-margin jobs with up to 30% wider gamut¹ at high speed-preserving media gloss, feel.
- Stand out with a wide range of signage and décor applications—thin films, vinyl, odorless² backlit textiles.
- Consistent color and quality configurations across your global fleet with HP Configuration Center³

SCALABLE-As your business grows

- Integrate future enhancements with a scalable platform ready to meet evolving business needs.
- Meet tight turnarounds with speeds up to 89 m² (958 ft²) per hour⁴ today.
- Minimize ink waste and streamline your workflow with auto printhead cleaning and an intuitive interface.
- Print remotely and monitor fleet with HP Live Production included in HP Professional Print Service Plan⁵.

SUSTAINABLE-With environmental certifications

- This printer is built to last⁶ thanks to its scalable design.
- Create a comfortable workspace-water-based inks enable odorless prints² and no hazardous air pollutants⁷.
- Stand out with an offering that meets environmental certifications like UL ECOLOGO®8 and UL GREENGUARD9.
- Contribute to the circular economy with HP Planet Partners¹⁰ and PVC alternative media profile database¹¹.

Messaging Footnotes

Based on testing commissioned by HP and performed by Venture Electronics Spain, comparing the gamuts of HP Latex Gen 4 inks with those of leading competitive alternatives using UV technology, Test performed under the same conditions in all printers measuring the ECI2002 target with the FD-9 spectrophotometer from Konica Minolta.

Based on testing commissioned by HP and performed by Odournet and applicable to HP Latex Inks. Testing conducted according to VDI Guideline 3882 where 832 and 873 inks were characterized as "weak" in odor intensity and "neutral" for hedonic

tone. There is a broad set of media with very different odor profiles. Some of the media can affect the odor performance of the final print.

3HP Learn's free training content, HP Print Beat remote monitoring of production and analytics, HP PrintOS Mobile, and HP Configuration Center are available free of charge for all HP printers compatible with HP PrintOS. Requires an HP PrintOS.

account, Internet connection, and connected Internet-capable device. For more information, see http://www.printos.com.

4Based on internal HP testing. Outdoor mode 3-pass, 6-color, 90%. While CMYK and Optimizer are duplicated with symmetrical double printheads, Overcoat, Light Magenta and Light Cyan rely on single printheads.

5HP PrintOS Live Production is available for subscribers of the HP Professional Print Services Plus Plan. Please consult your HP representative for information about availability and/or geographic coverage. Requires an HP PrintOS account, Internet connection, and connected internet-capable device. For more information, see http://www.printos.com.

Based on HP Large Format supplies Long Term Plan, at least 70% of printers installed, from the previous generation, are still in use in 2024. And on average printers in use are 67 years old and at least 50% of printers are > 6 years old

HP Latex Inks were tested for Hazardous Air Pollutants, as defined in the Clean Air Act, per U.S. Environmental Protection Agency Method 311 (testing conducted in 2013) and none were detected.

BUL ECOLOGO® Certified HP 832, HP 872, HP 873, and 882, FS50 and FS60 printer series Latex lnks meet a range of stringent human health and environmental considerations. For certifications, see http://www.ul.com/EL and http://www.ul.com/gg. ⁹ Applicable to HP Latex Inks, UL GREENGUARD Gold Certification to UL 2818 demonstrates that products are certified to UL's GREENGUARD standards for low chemical emissions into indoor air during product usage. Unrestricted room size—full decorated room; 33.4 m² (360 ft²) in an office environment; 94.6 m² (1,018 ft²) in a classroom environment. For more information, visit http://www.lcom/gg or http://www.greenguard.org. For certifications, see http://www.greenguard.org. For certifications, see http://www.greenguard.org. For certification in the program availability; program may not be available in your jurisdiction. Where this program is not available, and for other consumables not included in the program, availability to see how to participate and for HP Planet Partners program availability; program may not be available in your jurisdiction. Where this program is not available, and for other consumables not included in the program, availability that the program is not available, and for other consumables not included in the program, availability that the program is not available, and for other consumables not included in the program, availability that the program is not available, and for other consumables not included in the program, availability that the program is not available, and for other consumables not included in the program, availability that the program is not available, and for other consumables not included in the program, availability that the program is not available, and for other consumables not included in the program is not available.

11 HP applications experts have evaluated the catalog of media listed in the HP Media Locator based on internal criteria to identify those that provide alternative solutions with certain environmental benefits compared to the typical media within the same application type. The information in media locator is provided by the media substrate vendors. HP is not responsible for the veracity of the information from third-party companies published on the HP website. See http://www.hp.com/go/mediasolutionslocator.





consult your local waste authorities on appropriate disposal.







Technical specifications

Print	
Print speed	1302 ft²/hr (2-pass); 958 ft²/hr (3-pass); 743 ft²/hr (4-pass); 527 ft²/hr (6- pass); 409 ft²/hr (8-pass); 312 ft²/hr (10-pass)
Print resolution	Up to 1200 x 1200 dpi
Technology	HP Latex Printing Technologies
Ink types	Water-based HP Latex Inks
Ink cartridges	8 (black, cyan, light cyan, light magenta, magenta, yellow, HP Latex Optimizer, HP Latex Overcoat)
Cartridge size	5 L (color) upgradeable to 10 L with B3SG0A
Printheads	8 (6 HP Latex Universal, 2 HP Latex Optimizer)
Long-term print-to-print repeatability	Maximum color difference (95% of colors) ≤ 2 dE2000
Media	
Applications	Exhibition and event graphics; Decoration; Displays; Exterior signage; Indoor posters; Banners; Light boxes - film; POP/POS; Textile; Vehicle graphics; Wallpaper
Handling	Roll-to-roll, double-sided blockout, dual-roll (optional), roll-to-freefall (optional), ink collector (optional)
Maximum media width	126 in (single roll); 2 x 63 in (optional dual roll); 2 x 60 in (optional jumbo dual roll)
Media rolls	1 (2 with optional dual roll kit)
Roll size	Up to 126 in (single roll); Up to 2 x 63 in (optional dual roll); Up to 2 x 60 in (optional jumbo dual roll)
Maximum roll weight	Up to 350 lb (single roll); Up to 661 lb (with optional diverter roller); Up to 2 x 155 lb (with optional dual roll kit); Up to 2 x 440 lb (with optional jumbo dual roll kit)
Maximum roll diameter	11.8 in (15.75 in with optional diverter roller)
Thickness	Up to 0.015 in (default); up to 0.08 in (with custom carriage height setting)
Media types	Banners, self-adhesive vinyls, films, papers, wallcoverings, canvas, synthetics, fabrics, mesh, textiles ¹

Connectivity	
Interfaces	Intel I210-T1 Gigabit Ethernet (1000Base-T)
Dimensions (W x D x H)	
Printer	228 x 54 x 66 in
Shipping	231 x 71 x 75 in
Weight	
Printer	2873 lb
Shipping	4556.95 lb
Included	
What's in the box	HP Latex FS50 Printer, printheads, 126-in spindles (x2), HP Internal Print Server, touch monitor, documentation software, user manual, media edge holders, Original HP sample media, cleaning supplies, pneumatic gun, User Maintenance Kit
Environmental ranges	
Operating temperature	59 to 86°F
Operating humidity	20 to 70% RH (non-condensing)
Acoustics	
Sound pressure	Printing: 71 dB(A) (operating), 58 dB(A) (idle)
Power	
Consumption	12-13 kW (printing), 510 W (ready), 110 W (low power mode), 100 W (shutdown)
Requirements	Input voltage 200-240/380-415 V Delta/Wye three-phase and PE; 50/60 Hz; 56/35 A
Certification	
Safety	IEC 62368-1 compliant; United States and Canada (CSA listed); EU (MD compliant, EN60204-1, EN12100, EN13849-1, EN1010-1); Ukraine (UA)
Electromagnetic	Compliant with Class A requirements: USA (FCC rules), Canada (ICES), EU (EMC Directive), Australia (ACMA), New Zealand (RSM), Korea (KCC)
Environmental	WEEE, RoHS (EU, China, Ukraine), REACH, CE marking compliant
Warranty	One-year limited hardware warranty
	_

Ordering information

Product		
9T922C	HP Latex FS50 Printer	
Accessories		
474Y0A	HP Latex 2700/FS Ink Collector Foams Kit	
4J0X0A	HP 126-in Dual Roll Kit	
4R4W4A	HP 126-in Spindle	
4R4W5A	HP Latex 126-in Roll Freefall Kit	
4R4W7A	HP 126-in Diverter Roller	
55P20A	HP Latex 2700/FS Standard Uptime Kit	
55P22A	HP Latex 2700/FS User Maintenance Kit	
79D06A	HP Latex 2700/FS Edge Holder Kit	
B3SG0A	HP Latex FS Series High Capacity Ink Upg	
G1K80B	HP 126-in Dual Roll Spindle	
L2E28A	HP Latex Jumbo Dual Roll Split Spindles	
M2J33A	HP Latex In-Line Slitters	
T4E58B	HP Latex Media Saver Kit	
Original HP printing supplies		

HP 886 Optimizer Latex Printhead

HP 883 5-liter Cyan Latex Ink Cartridge

HP 883 5-liter Yellow Latex Ink Cartridge

HP 883 5-liter Black Latex Ink Cartridge

HP 883 5-liter Magenta Latex Ink Cartridge

HP 886 Latex Printhead

G0Z32A	HP 883 5-liter Light Cyan Latex Ink Cartridge
G0Z33A	HP 883 5-liter Light Magenta Latex Ink Cartridge
G0Z34A	HP 883 5-liter Optimizer Latex Ink Cartridge
G0Z35A	HP 883 5-liter Overcoat Latex Ink Cartridge

Use Original HP inks and printheads, and HP large format printing materials, to experience consistent high quality and reliable performance that enable less downtime. These critical components are designed and engineered together as an optimized printing system, and Original HP inks are designed to maximize the life of HP printheads. Protect your HP printer investment by using Original HP inks for full HP warranty protection. For more information, visit https://hp.com/go/OriginalHPinks

Original HP large format printing materials

HP Photo-realistic Poster Paper

HP Optimal Gloss Air GRP (REACH Compliant²)

HP Removable Adhesive Fabric (REACH Compliant²)

HP 15-oz Prime Double-sided Blockout Banner (REACH Compliant²)
For the entire HP Large Format Printing Materials portfolio, please see HPLFMedia.com.

Service and Support

U95RSE HP 2 year Plus Service Plan Hardware Support w/DMR for HP Latex FS50 (In Warranty)
U95RTE HP 3 year Plus Service Plan Hardware Support w/DMR for HP Latex FS50 (In Warranty)
U95RVE HP 4 year Plus Service Plan Hardware Support w/DMR for HP Latex FS50 (In Warranty)
U95RWE HP 5 year Plus Service Plan Hardware Support w/DMR for HP Latex FS50 (In Warranty)

HP Support Services offer installation and extended support services (e.g. 2, 3, 4, and 5 years).

For more information, please visit http://www.hp.com/go/cpc

Specification Footnotes

¹ Performance may vary depending on media—for more information, see http://www.hp.com/go/mediasolutionslocator . For best results, use textiles that do not stretch. The optional ink collector is required for porous textiles.

² This product does not contain substances listed as SVHC (155) per Annex XIV of the EU REACH directive published as of June 16, 2014 in concentrations exceeding 0.1%. To determine the status of SVHC in HP products, see the HP REACH Declaration published at HP Printing Products and Consumable Supplies.

© Copyright 2024 HP Development Company, LP. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

November 2024

—



G0Z22A

G0Z24A

G0Z28A

G0Z29A

G0Z30A

G0Z31A