




# HP Professional Instant-dry Satin Photo Paper, 3-in Core



## The HP large format printing system—the complete solution

HP large format printers, Original HP inks and printheads, and Original HP printing materials are designed to work together as a system to provide uncompromising image quality, reliability, and consistency—with every print.



## See long-lasting, exhibition-ready photographs

### Produce exhibition-ready photographs

See vivid color, sharp detail, and striking contrast. It's easy to handle large-size exhibition prints on this durable, professional-grade weight paper that offers the look and feel of a professional photo paper.

### Provide long-lasting results

Deliver your photographs with reassurance. Designed together with HP pigment inks, prints produced on HP Professional Instant-dry Satin Photo Paper resist fading indoors, away from direct sun for up to 200 years<sup>1</sup>. Meet the environmental objectives of your company—and your clients—with this FSC®-certified paper<sup>2</sup>.

### See reliable results, consistent performance

Experience the reliable performance of the HP DesignJet large format printing system. HP Professional Instant-dry Satin Photo Paper, 3-in Core is engineered with Original HP inks and the printer to deliver consistent image quality and excellent handling.

| Target customers                          | Applications       | Benefits  |
|---|--------------------|---|
| Professional photographers                | Photo enlargements | Professional, satin surface for impressive image depth and clarity at any angle |
| Fine artists                              | Art reproductions  | Heavy weight makes large-size, exhibition prints easy to handle                 |
| Graphics-oriented print service providers |                    | Consistent gloss uniformity   |
|   |                    | Up to 200 years display permanence with Original HP pigment inks <sup>1</sup>   |
|   |                    | Water-resistant prints <sup>3</sup>   |
|   |                    | Handle instant-dry prints right off the printer                                 |
|   |                    | FSC®-certified paper <sup>2</sup>   |

## Technical specifications



### HP Professional Instant-dry Satin Photo Paper, 3-in Core

For the latest ICC profiles/paper presets, please visit [HPLFMedia.com/paperpresets](https://HPLFMedia.com/paperpresets).

|   |  |                                  |                  |               |
|---|--|----------------------------------|------------------|---------------|
| <b>Ink compatibility</b>                              | Compatible with HP pigment inks  |                                  |                  |               |
| <b>Weight</b>   | 300 g/m <sup>2</sup> per ISO 536 Test Method   |                                  |                  |               |
| <b>Thickness</b>                                      | 297 microns/11.7 mil per ISO 534 Test Method   |                                  |                  |               |
| <b>Opacity</b>  | >97% per TAPPI T-425 Test Method, greater than 95% per ISO 2471 Test Method  |                                  |                  |               |
| <b>Brightness</b>                                     | >100 per TAPPI T-452 and ISO 2470 Test Methods   |                                  |                  |               |
| <b>Whiteness</b>                                      | >130 per ASTM E-313 Test Method  |                                  |                  |               |
| <b>Finish</b>   | Satin  |                                  |                  |               |
| <b>Operating temperature</b>                          | 15 to 35° C / 59 to 95° F  |                                  |                  |               |
| <b>Operating humidity</b>                             | 30 to 80% RH   |                                  |                  |               |
| <b>Display permanence<br/>(Indoor home or office)</b> | Up to 200 years with Original HP 91 or HP 70 Photo Inks <sup>1</sup>   |                                  |                  |               |
| <b>Water resistance</b>                               | Water resistant with Original HP 91 or HP 70 Photo Inks <sup>3</sup>   |                                  |                  |               |
| <b>Dry time</b>                                       | Quick dry (at 23° C, 50% RH)   |                                  |                  |               |
| <b>Lamination</b>                                     | Yes, hot or cold with commercially available pressure-sensitive and thermal laminate films   |                                  |                  |               |
| <b>Shelf life</b>                                     | Greater than 1 year, unopened in original packaging  |                                  |                  |               |
| <b>Storage temperature</b>                            | 0 to 40° C / 32 to 104° F  |                                  |                  |               |
| <b>Storage humidity</b>                               | 25 to 80% RH   |                                  |                  |               |
| <b>Environmental</b>                                  | FSC®-certified <sup>2</sup>  |                                  |                  |               |
| <b>Country of origin</b>                              | Product of Germany   |                                  |                  |               |
| <b>Ordering information</b>                           | <b>Product numbers</b>   | <b>Roll sizes</b>                | <b>UPC codes</b> | <b>Region</b> |
|   | Q8759A   | 610 mm x 15,2 m (24 in x 50 ft)  | 848412013542     | Worldwide     |
|   | Q8840A   | 1118 mm x 15,2 m (44 in x 50 ft) | 848412013559     | Worldwide     |
| <b>Warranty</b>                                       | HP large format printing materials are free from defects in materials and workmanship. For warranty statement please see <a href="https://HPLFMedia.com/go/mediawarranties">HPLFMedia.com/go/mediawarranties</a> . To obtain warranty service, please contact Brand Management Group customer support at <a href="https://HPLFMedia.com/hp/en/contactus">HPLFMedia.com/hp/en/contactus</a> . |                                  |                  |               |

<sup>1</sup> Display permanence rating for interior displays/away from direct sunlight, under glass by HP Image Permanence Lab and/or by Wilhelm Imaging Research, Inc. on a range of HP media. For more information, see [HPLFMedia.com/printpermanence](https://HPLFMedia.com/printpermanence).

<sup>2</sup> HP has a policy for offering Forest Stewardship Council® (FSC®)-certified papers that are sourced from FSC®-certified forests and other controlled sources. BMG trademark license code FSC®-C115319, see [fsc.org](https://fsc.org). HP trademark license code FSC®-C017543, see [fsc.org](https://fsc.org). Not all FSC®-certified products are available in all regions.

<sup>3</sup> Performance varies based on printer and print profile. Water resistance testing by HP Image Permanence Lab on a range of HP media and follows ISO 18935 method. For more information, see [HPLFMedia.com/printpermanence](https://HPLFMedia.com/printpermanence).



For detailed information on the HP large format print media portfolio and to order, visit [HPLFMedia.com](https://HPLFMedia.com)

© 2023 HP Development Company, L.P. © 2023 Brand Management Group. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP and BMG shall not be liable for technical or editorial errors or omissions contained herein.

HP is a registered trademark of HP Development Company, L.P. and is used by Brand Management Group on license from HP Development Company, L.P.

